Supporting Information

Structural Dynamics by NMR in the Solid-State: II. The MOMD Perspective of the Dynamic Structure of Metal-Organic Frameworks Comprising Several Mobile Components

Eva Meirovitch^{1,*} Zhichun Liang,² Robert W. Schurko,^{3,4} Stephen J. Loeb,⁵ and Jack H. Freed^{2,*}

¹The Mina and Everard Goodman Faculty of Life Sciences, Bar-Ilan University, Ramat-Gan 52900 Israel; ²Baker Laboratory of Chemistry and Chemical Biology, Cornell University, Ithaca, NY 14853-1301, U.S.A; ³Department of Chemistry and Biochemistry, Florida State University, Tallahassee, FL 32306, U. S. A.; ⁴National High Magnetic Field Laboratory, Tallahassee, FL 32310 U. S. A.; ⁵Department of Chemistry and Biochemistry, University of Windsor, Windsor, ON, N9B 3P4, Canada.

* Corresponding authors: E.M. <u>eva.meirovitch@biu.ac.il</u>, phone – 972-3-531-8049; J.H.F. <u>jhf3@cornell.edu</u>, phone – 607-255-3647









Figure S1. Experimental and calculated MOMD spectra of UiO-68-*d*₄ from Figure 9, aligned vertically with the inner and outer divergences marked. The experimental spectra (red) have been reproduced with permission from Wilson, B. H.; Vojvodin, C. S.; Gholami, G.; Abdulla, L. M.; O'Keefe, C. A.; Schurko, R. W.; Loeb, S. J. Precise Spatial Arrangement and Interaction between Two Different Mobile Components in a Metal-Organic Framework. *Chem* **2021**, *7*, 1-10, Copyright 2021 of Cell Press.







200 100 0 -100 [kHz]

Figure S2. Experimental and calculated MOMD spectra of UWDM-9- d_4 from Figure 11, aligned vertically with the inner and outer divergences marked. The experimental spectra (blue) have been reproduced with permission from Wilson, B. H.; Vojvodin, C. S.; Gholami, G.; Abdulla, L. M.; O'Keefe, C. A.; Schurko, R. W.; Loeb, S. J. Precise Spatial Arrangement and Interaction between Two Different Mobile Components in a Metal-Organic Framework. *Chem* **2021**, *7*, 1-10, Copyright 2021 of Cell Press



Figure S3. Arrhenius plots for the parallel and perpendicular local diffusion rate constants of UWDM-9- d_4 , and the perpendicular local diffusion rate constant of UiO-68- d_4 .